

SAFETY DATA SHEET

Page 01 of 03

OSHA's Hazard Communication Standard
29 CFR 1910.1200

Cohesive Solutions Inc.
19215 SE 34 th Street, Ste # 106-390
Camas, WA 98607

MSDS # : 12

Phone 1: 1-360 210-7236
Phone 2: 1-800 603-0006 (USA only)

Date: 2/1/2016

SECTION I Product Information

Tradename: (As used on Label) MAX Matrix Solvent

Manufacturers Name : Cohesive Solutions Inc.
Address: 19215 SE 34 th Street # 106 - 390
City: Camas
State and Zip Code : WA 98607

Emergency Phone # : 1-800 603-0006 (USA only)

SECTION II Hazard Identification

Ingredients : Organic Solvent,

H319: May cause serious eye irritation
H225: Highly flammable liquid and Vapor
H302: Harmful if swallowed



SECTION III Information on Ingredients

Ingredients: Organic Solvents
The exact composition has been withheld as Trade Secret

SECTION IV First Aid Measures

Over Exposure:

Eyes: Contact with eyes may cause moderate irritation

Skin: Avoid prolonged skin use

Inhalation: Vapor not expected to cause a problem

Swallowing: May cause headache and gastric disturbance such as nausea and diarrhea

First Aid:

Eyes: Flush with water for 15 minutes

Skin: Wash Skin thoroughly with soap and water

Inhalation: If aspirated into the lungs get immediate medical help

Swallowing: If swallowed do not induce vomiting, may be harmful if liquid is aspirated into the lungs, get immediate medical

Carcinogen: This substance is not listed as a carcinogen by NTP(National Toxicology Program); not regulated as a carcinogen by OSHA (Occupational Safety & Health Administration).

SECTION V Fire and Explosion Hazard Data

Flash Point: Closed cup 62 deg. F , 16 deg C / Open cup NA deg. F , NA deg C .
Autoignition: 760 deg F, , 404.4 C
Extinguishing Media: Dry Chemicals or Carbon Dioxide
Special Firefighting Procedure: Self contained breathing apparatus with a full facepiece operated in pressure demand or other positive pressure mode
Unusual Fire and Explosion Hazards: May produce dense smoke
May form carbon dioxide and carbon monoxide.

SECTION VI Accidental Release Measures

Caution: This Product is Flammable, keep sparks and open Flames away
Clean up with paper or other absorbent material, clean area with soap and water

SECTION VII Storage and Handling

Keep container closed and store in cool dry place away from heat and open flames, This product is Flammable

SECTION VIII Exposure / Protective Equipment to be Used

Ventilation : Keep Working Area Ventilated

SECTION IX Typical Physical & Chemical Character

Boiling Point: NA @ 760 mmHg
Vapor Pressure at 20 C mm Hg: NA
Vapor Density: >1.8
Volatile (WT.) , %: 100
Melting Point: NA
Solubility in Water: no
Specific Gravity (H2O = 1): 0.817
Evaporation Rate (Butyl Acetate = 1): <3
Appearance and Odor : Clear, aromatic light citrus smell

SECTION X Stability and Reactivity Data

Hazardous Polymerization: Can not occur
Stability: Stable
Incompatibility: Avoid contact with strong oxidizing agents, such as bleach

SECTION XI Toxicology

NA

SECTION XII Ecology

NA

SECTION XIII Disposal

Comply with Federal, State and Local Regulation

SECTION XIV Transportation Information

Shipping Name: Flammable Liquid, n.o.s 3

Primary Hazard Class : Flammable

Secondary Hazard Class : none

UN Number : UN1993 UN Pack Group : II

Placard Required :Flammable

Exceptions : CFR 49 Section 173.150 allows Ground Shipping as "Limited Quantities"

Consult CFR 49 and your shipper for more detailed information

SECTION XV Regulatory Information

Substances on CA Proposition 65 List : none

SECTION XVI Special Precaution or other Comments

For external use only. Avoid contact with eyes and mucous membranes.

Keep out of reach of children.

This Product is rated flammable!

COHESIVE SOLUTIONS INC. HAS COMPILED THE INFORMATION AND RECOMMENDATIONS CONTAINED IN THIS MATERIAL SAFETY DATA SHEET FROM SOURCES BELIEVED TO BE RELIABLE AND TO REPRESENT THE MOST REASONABLE CURRENT OPINION ON THE SUBJECT WHEN THIS MSDS WAS PREPARED. NO WARRANTY, GUARANTY OR REPRESENTATION IS MADE AS TO THE CORRECTNESS OR SUFFICIENCY OF THE INFORMATION. THE USER OF THIS PRODUCT MUST DECIDE WHAT SAFETY MEASURES ARE NECESSARY TO SAFELY USE THIS PRODUCT, EITHER ALONE OR IN COMBINATION WITH OTHER PRODUCTS, AND DETERMINE ITS REGULATORY COMPLIANCE OBLIGATIONS UNDER ANY APPLICABLE FEDERAL OR STATE LAW.