

U. S. Department of Labor
Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. Hair Direct assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) – Ultra Kair Holding Spray

PT-HS

SECTION I

Manufacturer's Name - and Address	HairDirect 231 N. Front Street Bainbridge, PA 17502	Emergency Telephone Number (800) 424-7436 Telephone Number for Information (800) 424-7436 Date Prepared: 10/29/2008
--------------------------------------	---	---

Chemical Family - Alcohol Based Non- Aerosol Hair Spray.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits			
Specific Chemical Identity: Recommended %Optional	Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3	N/A
SD Alcohol 40	Ethanol	1000	1900	N/A
Isopropyl Alcohol	Isopropanol	400	980	N/A

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - N/A	Specific Gravity (H ₂ O=1)	.797
Vapor Pressure - N/D (mm Hg.)	Melting Point	N/A
Vapor Density - N/D (AIR=1)	Evaporation Rate (H ₂ O=1)	> 1

Solubility in Water - Complete

Appearance and Odor - Clear light amber liquid with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - 64 Degrees F (PMCC) Flammable Limits - N/D LFL - N/D UFL - N/D
(method Used)

Extinguishing Media - Water, ABC all-purpose extinguisher, carbon dioxide, chemical foam.

Special Fire Fighting Procedures - Small fires: Water spray, carbon dioxide or dry chemical. Large fires: Use water spray or alcohol-type foam. Water in straight stream will scatter and spread fire and should not be used.

Unusual Fire and Explosion Hazards - Keep away from high temperatures, open flames or other sources of ignition.

ND: NOT DETERMINED

NA: NOT APPLICABLE

IDENTITY (As Used on Label and List) – Ultra Kare Holding Spray

SECTION V - REACTIVITY DATA

Stability Unstable _____ Conditions to Avoid
Stable X Heat, open flames and other ignition sources.

Incompatibility (Materials to Avoid) - Nitric acid and oxidizing agents.

Hazardous Decomposition or Byproducts - Carbon monoxide and/or carbon dioxide.

Hazardous Polymerization May Occur _____ Conditions to Avoid
Will Not Occur X None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - Avoid Skin? - N/A Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Eye irritant. Potential respiratory and skin irritant. May be toxic if ingested in large amounts.

Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A

Signs and Symptoms of Exposure - Irritation of eyes, nose and throat. Headaches and drowsiness may occur. Strong stomach cramps.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes and skin: Flush with plenty of water. If irritation persists consult your physician. Inhalation and ingestion: Remove person to fresh air and consult your physician and/or Poison Control Center.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - Eliminate all sources of ignition (flame, sparks, etc.). Ventilate area well and dilute with large volumes of water until alcohol vapors are no longer detectable.

Waste Disposal Method - Disposal should be in accordance with all local, state and federal regulations.
Precautions to Be Taken in Handling and Storing - Flammable. Keep away from open flames, sparks and other ignition sources. Keep in closed containers stored in a cool, well ventilated area.

Other Precautions - Avoid spraying into eyes. For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A Special - N/A
Mechanical (General) - Recommended Other - N/D

Protective Gloves - Impervious Eye Protection - Safety glasses if desired.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

IDENTITY (As Used on Label and List) – Ultra Kare Holding Spray

Section IX – TRANSPORTATION INFORMATION

D.O.T.(Department of Transportation):
Proper Shipping Name: Ethanol Solutions
Hazard Class: 3 (Flammable Liquid)
Identification Number: UN1170
Schedule B: 3305900000

Packaging Group: II