

MATERIAL SAFETY DATA SHEET

MSDS Number: FS-00032
Revised 7/29/2014

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufacturer Identification:

Chemco Corporation
4920 NW 165th Street
Miami, FL 33014, United States of America
Telephone Number: 1-305-623-4445
International Number: 1-352-323-3500
Emergency Telephone Number: 1-800-535-5053

Product Name:

BONFI WIG SHINE

SECTION 2 -HAZARD IDENTIFICATION

Statement of Hazardous Nature

NFPA Ratings: Health: 0 Flammability: 2 Reactivity: 0 Other information: N/A

Hazard Identification:

This product is a flammable liquid. This product is classified as a hazardous substance and as a dangerous goods according to the classification criteria of NOHSC and ADG Code(Australia)

Acute Exposure Effects:

- 1- Skin irritant:** Skin may become irritated in some sensitive individuals, especially after prolonged and/or repeated contact.
- 2- Inhalation:** Not expected to be irritating to the respiratory system. Not volatile therefore limited inhalation exposure anticipated.
- 3- Eyes:** May cause mild redness or irritation
- 4- Ingestion:** Not considered a likely route of entry.

Repeated Exposure Effects:

- 1. Skin:** Overexposure may cause a skin reaction such as redness
- 2. Inhalation:** Not expected to be irritating to the respiratory system. Not volatile therefore limited inhalation exposure anticipated
- 3- Eyes:** May cause mild redness or irritation
- 3- Ingestion:** Not considered a likely route of entry.

MATERIAL SAFETY DATA SHEETMSDS Number: FS-00032
Revised 7/29/2014**SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS**

Description (Raw Material Name)	CAS Number	OSHA PEL	ACGIH TLV (TWA)	OTHER LIMITS RECOMMENDED
Cyclomethicone	69430-24-6 / 556-67-2/ 541-02-6	N/A	N/A	-
Isopropyl Palmitate	142-91-6	N/A	N/A	-
Dimethicone	63148-62-9 / 9006-65-9	N/A	N/A	-
Benzophenone	119-61-9	N/A	N/A	-
Panthenol	81-13-0	N/A	N/A	-

The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equaled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

SECTION 4 - EMERGENCY AND FIRST AID PROCEDURES**Threshold Limit value**

N/A

Emergency and First Aid Procedures

1- Skin: Discontinue use of product if irritation occurs. Flush with lukewarm, gently flowing water for 5 minutes. If irritation persists, obtain medical advice.

2 - Eyes: Immediately flush with clean, lukewarm water (low pressure) occasionally lifting eyelids. Seek medical attention if irritation develops.

3 - Inhalation: If respiratory irritation occurs, remove individual to fresh air.

4 - Ingestion: Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion dilute with fluids (milk or water). Do not induce vomiting.

SECTION 5 - FIRE PROTECTION AND FIRE FIGHTING INFORMATION

Flash Point: 170.6 °F / 77 °C

Flammable limits: Lower Limit: 0.70 %

LEL: N/A

UEL: N/A

Auto Ignition Temperature: 737.6 °F/ 392 °C

Combustibility: N/A

Extinguishing Media: Carbon dioxide, dry chemical, foam, or water spray

Fire Fighting Procedures: Contact emergency personnel. Use self-contained breathing apparatus and

MATERIAL SAFETY DATA SHEET

MSDS Number: FS-00032
Revised 7/29/2014

full protective gear, if large quantities of product are involved.

Unusual Fire Fighting Procedures: None

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Environmental Precautions: N/A

Methods for cleaning up: Soak up with absorbent materials and wash with water; place in non-leaking containers for appropriate disposal.

SECTION 7 – SPECIAL PROTECTIVE INFORMATION

Respiratory Protection: Not applicable under normal conditions

Ventilation:

Local Exhaust: Recommended

Special: None

Mechanical: None

Other: None

Skin Protection:

Resistant Plastic or rubber gloves. (optional)

Eye Protection:

Safety glasses or goggles. (optional)

ACGIH Threshold Limit Value (TLV): N/A

SECTION 8 – SPECIAL PRECAUTIONS

Storage: Store upright at room temperature. In order to maintain product quality do not store near heat source or in direct sunlight.

Other Precautions: Avoid bacterial contamination. Keep containers tightly closed when not in use.

Waste Disposal Method: Do not contaminate food or feed by storage or disposal. Do not reuse empty container. Wrap empty container and throw in trash collection. Dispose of according to federal, state, and local regulations regarding health, air, and water pollution.

SECTION 9 - PHYSICAL PROPERTIES

Appearance: Clear Liquid

Color: Clear

Odor: Fruity

Vapor Pressure (@ 20 C mm Hg): N/A

Vapor Density (AIR=1): N/A

Viscosity @ 25 C (centipoise): N/A

MATERIAL SAFETY DATA SHEET

MSDS Number: FS-00032
Revised 7/29/2014

pH: N/A

Solids (%) N/A

Density g/cm³ 0.700 to 0.900

Specific Gravity @25° 0.700 to 0.900

Viscosity (cPs) Spindle # 4 @20rpm N/A

Solubility in Water: (wt %): Soluble

Solubility in other solvents: Soluble

Melting Point: N/A

Evaporation Rate (Butyl Acetate=1): N/A

SECTION 10 - REACTIVITY DATA

Stability: Stable

Conditions to avoid: Direct Heat

Incompatibility (Materials to avoid): None

Hazardous Polymerization: Does not occur

Hazardous Decomposition Products: Unknown

SECTION 11 - TOXICOLOGY INFORMATION

No information

SECTION 12 - ECOLOGICAL INFORMATION

No ecological hazards have been tested to be associated with this product.

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal should be in accordance with Federal, State/Provincial and Local regulations.

SECTION 14 - TRANSPORTATION INFORMATION

DOT Road Shipment Information (49 CFR 172.101)

Proper Shipping Name: Combustible liquid, n.o.s.

Hazard Technical Name: Cyclosiloxane

Hazard Class: C

UN/NA Number: NA 1993

Packing Group: III

Hazard Label(s): None

Remarks: Above applies only to containers over 119 gallons or 450 liters.

Ocean Shipment (IMDG)

Not subject to IMDG code.

MATERIAL SAFETY DATA SHEET

MSDS Number: FS-00032
Revised 7/29/2014

Air Shipment (IATA)

Not subject to IATA regulations.

SECTION 15 - REGULATORY INFORMATION

Federal, State & International Regulations:

	<u>SARA 302</u>	<u>SARA 313</u>	<u>RCRA Code</u>	<u>CAA 112(r)</u>	<u>TQ</u>
Ingredient	None	None	None	None	

Section 311/312 Hazard Class (40 CFR 370):

Acute: No

Chronic: No

Fire: Yes

Pressure: No

Reactive: No

Federal, State & International Regulations (Continue):

New Jersey

CAS Number Wt % Component Name

541-02-6 85.0 - 100.0 Decamethylcyclopentasiloxane

None <=4.0 Dimethylcyclosiloxanes

Pennsylvania

CAS Number Wt % Component Name

541-02-6 85.0 - 100.0 Decamethylcyclopentasiloxane

None <=4.0 Dimethylcyclosiloxanes

AICS: All of the ingredients in the formulation are compliant with NICNAS regulations.

European Commission "Cosmetics Directive" 76/768/EEC and Cosmetic Ingredients Review: All of the ingredients in the formulation are compliant with these regulations.

US Federal: All of the ingredients in the formulation are compliant with the Federal Food, Drug, and Cosmetics Act and this product is safe to be used by professional hair dressers previously trained and certified to make this treatment.

SECTION 16 - OTHER INFORMATION

CHEMCO CORP. believes that the information contained in this M.S.D.S is correct as of this date. However, because the material may be used under conditions which CHEMCO CORP. has no control of or in ways we cannot anticipate, we give no warranty, expressed or implied, as to accuracy of the information and assume no responsibility for any damage to person, property or business arising from such use. Moreover, it is the responsibility of the purchaser or user of this material to ensure that is properly and safely used.